# SIGMA-ALDRICH

sigma-aldrich.com

## SAFETY DATA SHEET

Version 4.10 Revision Date 08/21/2015 Print Date 02/07/2016

## **1. PRODUCT AND COMPANY IDENTIFICATION**

1.1	Product identifiers Product name	:	Sodium azide
	Product Number Brand Index-No.		13412 Sigma-Aldrich 011-004-00-7
	CAS-No.	:	26628-22-8

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

#### 1.3 Details of the supplier of the safety data sheet

Company	3050	a-Aldrich Spruce Street T LOUIS MO 63103
Telephone Fax		)0-325-5832 )0-325-5052

## 1.4 Emergency telephone number

Emergency Phone # : (314) 776-6555

## 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

#### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 2), H300 Acute toxicity, Dermal (Category 1), H310 Specific target organ toxicity - repeated exposure, Oral (Category 2), Brain, H373 Acute aquatic toxicity (Category 1), H400 Chronic aquatic toxicity (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 2.2 GHS Label elements, including precautionary statements

Pictogram

Signal word



Danger

5	5
Hazard statement(s)	
H300 + H310	Fatal if swallowed or in contact with skin
H373	May cause damage to organs (Brain) through prolonged or repeated exposure if swallowed.
H410	Very toxic to aquatic life with long lasting effects.
Precautionary statement(s)	
P260	Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
P262	Do not get in eyes, on skin, or on clothing.
P264	Wash skin thoroughly after handling.

P270 P273	Do not eat, drink or smoke when using this product. Avoid release to the environment.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P301 + P310 + P330	IF SWALLOWED: Immediately call a POISON CENTER or doctor/
P302 + P350 + P310	IF ON SKIN: Gently wash with plenty of soap and water. Immediately call a POISON CENTER or doctor/ physician.
P314	Get medical advice/ attention if you feel unwell.
P362	Take off contaminated clothing and wash before reuse.
P391	Collect spillage.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

## 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

Contact with acids liberates very toxic gas.

Sodium Azide may react with lead and copper plumbing to form highly explosive metal azides., Rapidly absorbed through skin.

## **3. COMPOSITION/INFORMATION ON INGREDIENTS**

#### 3.1 Substances

Formula	: N <sub>3</sub> Na	
Molecular weight	: 65.01 g/mo	I
CAS-No.	: 26628-22-8	
EC-No.	: 247-852-1	
Index-No.	: 011-004-00	-7

#### Hazardous components

Component	Classification	Concentration
Sodium azide		
	Acute Tox. 2; Acute Tox. 1; STOT RE 2; Aquatic Acute 1; Aquatic Chronic 1; H300 + H310, H373, H410	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 4. FIRST AID MEASURES

#### 4.1 Description of first aid measures

#### **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

#### In case of eye contact

Flush eyes with water as a precaution.

#### If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

## 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

#### **4.3 Indication of any immediate medical attention and special treatment needed** No data available

## **5. FIREFIGHTING MEASURES**

5.1 Extinguishing media

Suitable extinguishing media Dry powder

- 5.2 Special hazards arising from the substance or mixture Sodium oxides
- **5.3** Advice for firefighters Wear self-contained breathing apparatus for firefighting if necessary.
- 5.4 Further information No data available

## 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures Wear respiratory protection. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.

#### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Do not flush with water. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

## 7. HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs.

Provide appropriate exhaust ventilation at places where dust is formed. For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Never allow product to get in contact with water during storage. Do not store near acids.

Heat sensitive.

Storage class (TRGS 510): Non-combustible, acute toxic Cat. 1 and 2 / very toxic hazardous materials

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters

#### Components with workplace control parameters

Component	CAS-No.	Value	Control	Basis
			parameters	
Sodium azide	26628-22-8	С	0.100000 ppm	USA. NIOSH Recommended
				Exposure Limits
	Remarks	Potential for	dermal absorption	
		С	0.300000	USA. NIOSH Recommended
			mg/m3	Exposure Limits
		Potential for dermal absorption		

C	0.110000 ppm	USA. ACGIH Threshold Limit Values (TLV)
Lung dam Cardiac ir	npairment	
Not class	ifiable as a human c	
С	0.290000 mg/m3	USA. ACGIH Threshold Limit Values (TLV)
Lung dam	nage	
	mpairment	
	ifiable as a human c	
С	0.110000 ppm	USA. ACGIH Threshold Limit Values (TLV)
	npairment	
	ifiable as a human c	
С	0.290000 mg/m3	USA. ACGIH Threshold Limit Values (TLV)
	nage npairment ifiable as a human ca	arcinogen
C	0.11 ppm	USA. ACGIH Threshold Limit Values (TLV)
	nage mpairment ifiable as a human c	arcinogen
С	0.29 mg/m3	USĂ. ACGIH Threshold Limit Values (TLV)
	nage mpairment ifiable as a human ca	arcinogen
С	0.1 ppm	USA. NIOSH Recommended Exposure Limits
Potential	for dermal absorptio	
С	0.3 mg/m3	USA. NIOSH Recommended Exposure Limits
Potential	for dermal absorptio	
С	0.1 ppm	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
Skin nota	tion	
С	0.3 mg/m3	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
Skin nota	tion	

## 8.2 Exposure controls

#### Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

#### Personal protective equipment

#### Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### **Skin protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

#### **Body Protection**

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties

a)	Appearance	Form: crystalline Colour: white
b)	Odour	No data available
c)	Odour Threshold	No data available
d)	рН	10 at 65 g/l at 25 °C (77 °F)
e)	Melting point/freezing point	275 °C (527 °F)
f)	Initial boiling point and boiling range	No data available
g)	Flash point	No data available
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	The product is not flammable Flammability (solids)
j)	Upper/lower flammability or explosive limits	No data available
k)	Vapour pressure	0.01 hPa (0.01 mmHg) at 20 °C (68 °F)
I)	Vapour density	No data available
m)	Relative density	1.850 g/cm3
n)	Water solubility	65 g/l at 20 °C (68 °F) - completely soluble
o)	Partition coefficient: n- octanol/water	No data available
p)	Auto-ignition temperature	309 °C (588 °F) at 1,013 hPa (760 mmHg)

q)	Decomposition	300 °C (572 °F) -
	temperature	

- r) Viscosity No data available
- s) Explosive properties Not explosive
- t) Oxidizing properties No data available

#### 9.2 Other safety information

Bulk density

0.8 kg/m3

## **10. STABILITY AND REACTIVITY**

#### 10.1 Reactivity

No data available

- **10.2 Chemical stability** Stable under recommended storage conditions.
- **10.3 Possibility of hazardous reactions** No data available

#### 10.4 Conditions to avoid

An explosion occurred when a mixture of sodium azide, methylene chloride, dimethyl sulfoxide, and sulfuric acid were being concentrated on a rotary evaporator.

## 10.5 Incompatible materials

Halogenated hydrocarbon, Metals, Acids, Acid chlorides, Hydrazine, Dimethyl sulfate, Inorganic acid chlorides

#### **10.6** Hazardous decomposition products

Other decomposition products - No data available In the event of fire: see section 5

#### 11. TOXICOLOGICAL INFORMATION

#### 11.1 Information on toxicological effects

#### Acute toxicity

No data available

Inhalation: No data available

Dermal: No data available

No data available

#### Skin corrosion/irritation

Skin - reconstructed human epidermis (RhE) Result: No skin irritation - 15 min

#### Serious eye damage/eye irritation

Eyes - Bovine cornea Result: No eye irritation - 4 h (OECD Test Guideline 437)

#### Respiratory or skin sensitisation

in vivo assay - Mouse Result: Does not cause skin sensitisation. (OECD Test Guideline 429)

Germ cell mutagenicity No data available

#### Carcinogenicity

Carcinogenicity - Rat - male and female - Oral No significant adverse effects were reported

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

- NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

#### **Reproductive toxicity**

No data available

No data available

Specific target organ toxicity - single exposure No data available

#### Specific target organ toxicity - repeated exposure

Oral - May cause damage to organs through prolonged or repeated exposure. - Brain

## Aspiration hazard

No data available

#### **Additional Information**

Repeated dose Rat - male and female - Oral - LOAEL : 5 mg/kg toxicity RTECS: VY8050000

Nausea, Headache, Vomiting, Laboratory experiments in animals have shown sodium azide to produce a profound hypotensive effect, demyelination of myelinated nerve fibers in the central nervous system, testicular damage, blindness, attacks of rigidity, and hepatic and cerebral effects., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

## **12. ECOLOGICAL INFORMATION**

#### 12.1 Toxicity

Toxicity to fish	mortality LC50 - Pimephales promelas (fathead minnow) - 5.46 mg/l - 96 h (OECD Test Guideline 203)
Toxicity to algae	static test EC50 - Pseudokirchneriella subcapitata - 0.35 mg/l - 96 h (OECD Test Guideline 201)

- 12.2 Persistence and degradability No data available
- **12.3 Bioaccumulative potential** No data available
- 12.4 Mobility in soil No data available
- 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

#### 12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Very toxic to aquatic life with long lasting effects.

## **13. DISPOSAL CONSIDERATIONS**

#### 13.1 Waste treatment methods

#### Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

#### Contaminated packaging

Dispose of as unused product.

## 14. TRANSPORT INFORMATION

DOT (US) UN number: 1687 Class: 6.1 Proper shipping name: Sodium azide Reportable Quantity (RQ): 1000 lbs	Packing group: II
Poison Inhalation Hazard: No	
IMDG UN number: 1687 Class: 6.1 Proper shipping name: SODIUM AZIDE Marine pollutant:yes IATA	Packing group: II EMS-No: F-A, S-A
UN number: 1687 Class: 6.1 Proper shipping name: Sodium azide	Packing group: II
REGULATORY INFORMATION	
Sodium azide <b>SARA 313 Components</b> The following components are subject t	CAS-No. Revision Date 26628-22-8 2007-07-01 o reporting levels established by SARA Title III, Section 313: CAS-No. Revision Date
Sodium azide	26628-22-8 2007-07-01
SARA 311/312 Hazards Acute Health Hazard	
Massachusetts Right To Know Comp	
Sodium azide	CAS-No. Revision Date 26628-22-8 2007-07-01
Pennsylvania Right To Know Compo	
Sodium azide	CAS-No. Revision Date 26628-22-8 2007-07-01
New Jersey Right To Know Compone	
Sodium azide	CAS-No. Revision Date 26628-22-8 2007-07-01
<b>California Prop. 65 Components</b> This product does not contain any chen	nicals known to State of California to cause cancer, birth defects, or any ot

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

## **16. OTHER INFORMATION**

Full text of H-Statements referred to under sections 2 and 3.

Acute Tox.	Acute toxicity
Aquatic Acute	Acute aquatic toxicity
Aquatic Chronic	Chronic aquatic toxicity
H300	Fatal if swallowed.
H300 + H310	Fatal if swallowed or in contact with skin
H310	Fatal in contact with skin.
H373	May cause damage to organs through prolonged or repeated exposure if swallowed.
H400	Very toxic to aquatic life.

## **HMIS Rating**

Health hazard:	
Chronic Health Hazard:	~
Flammability:	0
Physical Hazard	0
NFPA Rating	
Health hazard:	4
-	4 0

Reactivity Hazard:

## **Further information**

Copyright 2015 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

#### **Preparation Information**

Sigma-Aldrich Corporation Product Safety - Americas Region 1-800-521-8956

Version: 4.10

Revision Date: 08/21/2015

Print Date: 02/07/2016